



**UNITED STATES ENVIRONMENTAL PROTECTION
AGENCY**

REGION 8
1595 WYNKOOP STREET
DENVER, CO 80202-1129
<http://www.epa.gov/region8>

Ref: 8P-W-UIC

DEC 04 2015

Mr. Dan Flori
Safeway, Inc.
6900 South Yosemite Street
Centennial, Colorado 880112

RE: CLASS V UIC PROGRAM

Rule Authorization: Aquifer Remediation Well
Change in Operation
Safeway Store #1614
560 Corona Street
Denver, Colorado
EPA File #CO50000 - 10158

Dear Mr. Flori:

The U.S. Environmental Protection Agency (EPA) Region 8 Underground Injection Control (UIC) Program staff has reviewed the application that was submitted by you or on your behalf for the Class V aquifer remediation injection well(s) at the above referenced location. Based on our understanding of the proposed program and limited potential for groundwater contamination, we have determined that a permit is not necessary at this time. Therefore, the change(s) proposed is currently "authorized by rule" in accordance with Title 40 Code of Federal Regulations (40 CFR) Sections 144.24 and 144.84(a). This authorization is based on information provided in your application and is valid for:

additional injections of sodium hypochlorite disinfection solution in Johnson Well MW-410 along with chlorine enhancer and a potassium permanganate solution into five injection wells and into two dry wells in a manner as described in your original application,

and is limited to the location(s) indicated in the application that we received on December 2, 2015.

All injection wells are regulated under the UIC Program in accordance with 40 CFR Parts 144 and 146, which have been promulgated under Part C of the Safe Drinking Water Act, 42 United States Code Sections 1421 through 1428. Your Class V injection well(s) is subject to periodic compliance inspections which may include sampling and analysis of your fluids. Finally, be aware that under 40 CFR Sections 144.12(c), (d), and (e), the EPA can require you to apply for a permit or close your injection well(s) under certain circumstances.




Printed on Recycled Paper

Please notify us if the potential for groundwater contamination increases. If you intend to change the proposed plan, please notify us in advance. Any changes in operating methods or any other conditions that may adversely impact groundwater MUST be approved in advance by the EPA. Failure to comply with the above requirements will result in violations of UIC regulations and possible enforcement actions and penalties.

Please be advised that this rule authorization, change in operations, pertains solely to the UIC Program and does NOT relieve you from satisfying any other federal, state or local regulations that may apply.

Please contact Dennis Hotovec at (800) 227-8917, extension 312-6582 or (303) 312-6582, if you have any questions or need more information. More information on the EPA Region 8 Class V program can also be found online at:
<http://www2.epa.gov/region8/region-8-class-v-program>

Sincerely,



Douglas Minter
UIC Unit Chief

Office of Partnerships and Regulatory Assistance

cc: Richard J. Hirsch, RG
Hirsch Gibney, Inc.
813 14th Street, Suite A
Golden, Colorado 80401
rjhirsch@hirschgibney.net

Charlie Adams
Colorado Department of Public Health and Environment
Hazardous Material and Waste Management Division
4300 Cherry Creek Drive South
Denver, Colorado 80246-1530
Charlie.adams@state.co.us



Printed on Recycled Paper